

© International Baccalaureate Organization 2024

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organisation du Baccalauréat International 2024

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organización del Bachillerato Internacional, 2024

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

Mathematics: applications and interpretation

Standard level

Paper 2

2 May 2024

Zone A morning | Zone B morning | Zone C morning

1 hour 30 minutes

Instructions to candidates

- Do not open this examination paper until instructed to do so.
- A graphic display calculator is required for this paper.
- Answer all the questions in the answer booklet provided.
- Unless otherwise stated in the question, all numerical answers should be given exactly or correct to three significant figures.
- A clean copy of the **mathematics: applications and interpretation SL formula booklet** is required for this paper.
- The maximum mark for this examination paper is **[80 marks]**.

Answer **all** questions in the answer booklet provided. Please start each question on a new page. Full marks are not necessarily awarded for a correct answer with no working. Answers must be supported by working and/or explanations. Solutions found from a graphic display calculator should be supported by suitable working. For example, if graphs are used to find a solution, you should sketch these as part of your answer. Where an answer is incorrect, some marks may be given for a correct method, provided this is shown by written working. You are therefore advised to show all working.

1. [Maximum mark: 16]

In a given week, the number of students in a particular primary school that were absent due to headlice (H), influenza (I) and/or chickenpox (C) were recorded as follows.

The primary school has 500 students.

- 35 students had headlice only
- 20 students had influenza only
- 5 students had chickenpox only
- 4 students had headlice and influenza but not chickenpox
- 2 students had headlice and chickenpox but not influenza
- 3 students had influenza and chickenpox but not headlice
- 1 student had headlice, influenza and chickenpox

- (a) Draw a Venn diagram to represent this information. [3]
- (b) Calculate the number of students who did not have headlice or influenza or chickenpox. [2]

A student is chosen at random from all the students in the school.

- (c) Find the probability that this student has
 - (i) headlice.
 - (ii) influenza given that the student has headlice. [4]

(This question continues on the following page)

(Question 1 continued)

Diego is a teacher in the school. He believes that the number of students, n , who have had influenza during the first t days of the school year, can be modelled by the function

$$n(t) = 250 - 240(2)^{kt}, k \in \mathbb{R}.$$

- (d) Use Diego’s model to calculate the number of students who started the school year with influenza. [2]


It is known that 130 students have had influenza during the first 10 days of the school year.

- (e) Find the value of k . [2]

- (f) Using this model, calculate how many days it will take for 200 students to have had influenza since the start of the school year. [2]

By the last day of the school year, it is known that 300 students have had influenza.


- (g) Comment on the appropriateness of Diego’s model. [1]



2. [Maximum mark: 14]

Mai is at an amusement park. A map of part of the amusement park is represented on the following coordinate axes.

Mai's favourite three attractions are positioned at $A(0, 16)$, $B(12, 20)$ and $C(12, 0)$. All measurements are in metres.



- (a) Write down the distance between B and C. [1]
- (b) Calculate the distance between A and B. [2]

(This question continues on the following page)

(Question 2 continued)

Mai is standing at the attraction at B and wants to walk directly to the attraction at A.

- (c) Calculate the bearing of A from B. [3]

A drinking fountain is to be installed at a point that is an equal distance from each of the attractions at A, B and C.

- (d) (i) Write down the gradient of [AC].
(ii) Write down the mid-point of [AC].
(iii) Hence calculate the coordinates of the drinking fountain. [8]




Turn over



Blank page

3. [Maximum mark: 15]

The following diagram shows a model of the side view of a water slide. All lengths are measured in metres.



The curved edge of the slide is modelled by

$$f(x) = -\frac{1}{4}x^2 + 2x \text{ for } 0 \leq x \leq 4.$$

The remainder of the slide is modelled by

$$g(x) = \begin{cases} 4, & \text{for } 4 \leq x \leq 5 \\ \frac{48}{7} - \frac{4x}{7}, & \text{for } 5 \leq x \leq 12 \end{cases}$$

- (a) Use the trapezoidal rule with an interval width of 1 to calculate the approximate area under the model of the slide in the interval $0 \leq x \leq 4$. [5]
- (b) Find $\int \left(-\frac{1}{4}x^2 + 2x \right) dx$. [3]
- (c) Calculate the exact area under the entire model of the slide, for $0 \leq x \leq 12$. [4]
- (d) Find the percentage error in the **total** area under the entire model of the slide when using the approximate value from part (a). [3]

Turn over

4. [Maximum mark: 19]

A recent study found that the heights of Dutch women can be modelled by a normal distribution with mean 170.7 cm and standard deviation 6.3 cm.

A Dutch woman is chosen at random.

(a) Calculate the probability that her height is

(i) less than 160 cm.

(ii) between 160 cm and 170 cm.

[4]

27% of Dutch women have a height of more than h metres.

(b) Calculate the value of h .

[2]

Janneke selects a random sample of 200 Dutch women from Amsterdam and measures their heights. She wants to determine whether this sample could have been chosen from a normally distributed population with mean of 170.7 cm and standard deviation of 6.3 cm.

She performs a χ^2 goodness of fit test at the 5% significance level. She begins by creating the following frequency table.

| Height, h | Observed frequency | Expected frequency |
|--------------------|--------------------|--------------------|
| $h \leq 160$ | 6 | 8.943 |
| $160 < h \leq 170$ | 85 | a |
| $170 < h \leq 180$ | 92 | b |
| $h > 180$ | 17 | 13.99 |

(c) Calculate, correct to four significant figures, the value of

(i) a .

(ii) b .

[2]

(This question continues on the following page)

(Question 4 continued)

The hypotheses for Janneke’s test are

H_0 : the heights are drawn from a normally distributed population with mean 170.7 cm and standard deviation 6.3 cm

H_1 : the heights are not drawn from a normally distributed population with mean 170.7 cm and standard deviation 6.3 cm

- (d) Write down the degrees of freedom for this test. [1]

The critical value for this test is 7.815.

- (e) Perform the χ^2 goodness of fit test and state your conclusion, justifying your reasoning. [4]

Gundega claims that, on average, Latvian women are taller than Dutch women.

Random samples of 10 Latvian women and 10 Dutch women are chosen, and their heights are measured.

| Heights of Latvian women (cm) | | | | | | | | | |
|-------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 171 | 163 | 180 | 159 | 169 | 182 | 166 | 168 | 171 | 170 |

| Heights of Dutch women (cm) | | | | | | | | | |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 173 | 182 | 181 | 166 | 175 | 161 | 169 | 165 | 172 | 169 |

Gundega performs a t -test at the 5% significance level. It is assumed that the populations are normally distributed and have equal variances.

- (f) Write down the null and alternative hypotheses for this test. [2]
- (g) Perform the t -test and state the conclusion, justifying your reasoning. [4]

Turn over

5. [Maximum mark: 16]


A skip is a container used to carry garbage away from a construction site. For safety reasons the garbage must not extend beyond the top of the skip. The maximum volume of garbage to be removed is therefore equal to the volume of the skip.



A particular design of skip can be modelled as a prism with a trapezoidal cross section. For the skip to be transported, it must have a rectangular base of length 10 m and width 3 m. The length of the sloping edge is fixed at 4 m, and makes an angle of θ with the horizontal.

The following diagram shows such a skip.

diagram not to scale



(This question continues on the following page)

(Question 5 continued)

- (a) Find the volume of this skip,
- (i) if the length of the top edge of the skip is 11 m.
 - (ii) if the height of the skip is 3.2 m.
 - (iii) if θ is 60° . [9]
- (b) Show that the volume, $V\text{m}^3$, of the skip is given by
- $$24 \sin(\theta)(5 + \cos(\theta)).$$
- [2]
- (c) Explain, in context, why $\theta \neq 0$. [1]
- (d) (i) Sketch the graph of $V = 24 \sin(\theta)(5 + \cos(\theta))$, $0 < \theta < 90^\circ$.
- (ii) Find the maximum volume of the skip and the value of θ for which this maximum volume occurs. [4]
-

Disclaimer:

Content used in IB assessments is taken from authentic, third-party sources. The views expressed within them belong to their individual authors and/or publishers and do not necessarily reflect the views of the IB.

References:

5. Andyqwe, n.d. *Dumpster truck* [image online] Available at: <https://www.gettyimages.co.uk/detail/photo/dumpster-truck-royalty-free-image/157611454> [Accessed 18 April 2023] Source adapted.

All other texts, graphics and illustrations © International Baccalaureate Organization 2024